# GATHERING MACHINE RC 6000





### DOUBLE AND MISSING CONTROLL

Analogic sensor for double or missing detection during the work process
Auto calibration at the begining work, with possibility of regulation of the detection sensibility

### SIGNATURE FEEDING

Signatures taking by suction cups and grippers.

Drums with belts feed the telescopic device
that fill the transport channel





### TRANSPORT CHANNEL

Transport channel with stainless steel sheets with special grain of rise to preserve the signature quality Transportation by means chain with fingers

# MANUAL INFEED

Signatures manual feeding with photocell detection If the operator miss the space of feeding the single stations do not feed the signature





GATHERING MACHINE MATCHING

Gathering machine can work alone with a stacker (like in the photo) or can be matched to perfect binder (Risetec perfect binder or any other brand)

## GATHERING MACHINE WITH SEWING MACHINE MATCHING


Gathering machine can be matched to one or more (used or new) sewing machines
In the photos is shown a matching with two Meccanotecnica Aster





# TOUCH SCREEN PANEL

All functions are adjustable by the touch screen panel Adjustments are all automatic by means brushless motors




## **TECHNICAL DATA:**

Min format:  $100 \times 150 \text{ mm}$ 

Max format: 320 x 450 mm or 320 x 550 mm

Max signature Thickness: 5 mm

Speed 6000 c/h





## Risetec srl

Statale dei Giovi 9/E
22070 Vertemate con Minoprio - Como - Italy
Phone +39 0314148305 - Fax + 39 0312281343
e mail: info@risetecsrl.com web: www.risetecsrl.com

